Volume 176 1988

Table of contents

No. 1 1–236 issued on September 1, 1988
No. 2 237–484 issued on September 15, 1988
No. 3 485–732 issued on October 1, 1988

Reviews

Permeation of hydrophilic molecules through the outer membrane of gram-negative bacteria — Review on bacterial porins
R. Benz and K. Bauer 1–19

Enhancer sequences and the regulation of gene transcription
M. M. Müller, T. Gerster and W. Schaffner 485–495

Citric-acid cycle, 50 years on — Modifications and an alternative pathway in anaerobic bacteria
R. K. Thauer 497–508

Nucleic acids, protein synthesis, and molecular genetics

A rapid method of epitope mapping — Application to the study of immunogenic domains and to the characterization of various forms of rabbit progesterone receptor
F. Lorenzo, A. Jolivet, H. Loosfelt, M. Thu Vu Hai, S. Brailly, M. Perrot-Applanat and E. Milgrom 53–60

Sequence of the *Saccharomyces cerevisiae CTA1* gene and amino acid sequence of catalase A derived from it
G. Cohen, W. Rapatz and H. Ruis 159–163

Comparison of the amino acid sequences of the transacylase components of branched chain oxoacid dehydrogenase of *Pseudomonas putida*, and the pyruvate and 2-oxoglutarate dehydrogenases of *Escherichia coli*
G. Burns, T. Brown, K. Hatter and J. R. Sokatch 165–169

Cloning and expression in *Escherichia coli* of two additional amylase genes of a strictly anaerobic thermophile, *Dictyoglomus thermophilum*, and their nucleotide sequences with extremely low guanine-plus-cytosine contents
S. Horinouchi, S. Fukusumi, T. Ohshima and T. Beppu 243–253

A new family of repetitive, retroposon-like sequences in the genome of the rainbow trout
R. J. Winkfein, R. D. Moir, S. A. Krawetz, J. Blanco, J. C. States and G. H. Dixon 255–264

Complete nucleotide sequence of the ribosomal 'A' protein operon from the archaebacterium, *Halobacterium halobium*
T. Itoh 297–303

Differential inhibition of various mammalian DNA polymerase activities by ammonium 21-tungsto-9-antimoniate (HPA23)
K. Ono, H. Nakane, F. Barré-Sinoussi and J.-C. Chermann 305–310

Similarity of the E1 subunits of branched-chain-oxoacid dehydrogenase from *Pseudomonas putida* to the corresponding subunits of mammalian branched-chain-oxoacid and pyruvate dehydrogenases
G. Burns, T. Brown, K. Hatter, J. M. Idriss and J. R. Sokatch 311–317

Assembly of amber fragments of the β subunit of *Escherichia coli* RNA polymerase
R. E. Glass, N. T. Ralphs, N. Fujita and A. Ishihama 403–407

Nucleotide sequence of the *carA* gene and regulation of the *carAB* operon in *Salmonella typhimurium*
M. Kilstrup, C.-D. Lu, A. Abdelal and J. Neuhard 421–429

Purification of RNA 3'-terminal phosphate cyclase from HeLa cells — Covalent modification of the enzyme with different nucleotides
O. Vicente and W. Filipowicz 431–439

The poly(A)-binding protein facilitates *in vitro* translation of poly(A)-rich mRNA
M.-F. Grossi de Sa, N. Standart, C. Martins de Sa, O. Akhayat, M. Huesca and K. Scherrer 521–526

DNA-binding properties of gene-5 protein encoded by bacteriophage M13 — 1. The kinetics of the dissociation of gene-5-protein · polynucleotide complexes upon addition of salt
H. Bulsink, B. J. M. Harmsen and C. W. Hilbers 589–596

DNA-binding properties of gene-5 protein encoded by bacteriophage M13 — 2. Further characterization of the different binding modes for poly- and oligodeoxynucleic acids
H. Bulsink, B. J. M. Harmsen and C. W. Hilbers 597–608

The organization of the human-plasminogen-activator-inhibitor-1 gene — Implications on the evolution of the serine-protease inhibitor family
L. Strandberg, D. Lawrence and T. Ny 609–616

Primary structures and catalytic properties of isoenzymes encoded by the two 4-coumarate:CoA ligase genes in parsley
E. Lozoya, H. Hoffmann, C. Douglas, W. Schulz, D. Scheel and K. Hahlbrock 661–667

Protein chemistry and structure

Purification and properties of the cellular and scrapie hamster prion proteins
E. Turk, D. B. Teplow, L. E. Hood and S. B. Prusiner 21–30

Protein phosphorylation in *Mycoplasma gallisepticum*
M. W. Platt, S. Rottem, Y. Milner, M. F. Barile, A. Peterkofsky and J. Reizer 61–67

Assignment of proton resonances in the NMR spectrum of carbonmonoxy hemoglobin β subunit tetramers
C. T. Craescu and J. Mispelter 171–178

A human glioma cell line secretes three structurally and functionally different dimeric forms of platelet-derived growth factor
A. Hammacher, M. Nistér, B. Westermark and C.-H. Heldin 179–186

Murine hybridoma/plasmacytoma growth factor — Complete amino-acid sequence and relation to human interleukin-6
R. J. Simpson, R. L. Moritz, M. R. Rubira and J. Van Snick 187–197

Osmotic pressure measurements of the ligand-linked dissociation equilibrium of human oxyhemoglobin
H. Schönert and B. Stoll 319–325

Isolation and characterization of a highly phosphorylated troponin from bovine heart
N. Beier, K. Jaquet, K. Schnackerz and L. M. G. Heilmeyer Jr 327–334

Cardiac troponin I, isolated from bovine heart, contains two adjacent phosphoserines — A first example of phosphoserine determination by derivatization to *S*-ethylcysteine
K. Swiderek, K. Jaquet, H. E. Meyer and L. M. G. Heilmeyer Jr 335–342

The enzymatic activity of proteinase K is controlled by calcium
J. Bajorath, W. Hinrichs and W. Saenger 441–447

Chemical modification of tyrosine-38 in *p*-hydroxybenzoate hydroxylase from *Pseudomonas fluorescens* by 5′-*p*-fluorosulfonylbenzoyladenosine: A probe for the elucidation of the NADPH binding site? — Involvement in catalysis, assignment in sequence and fitting to the tertiary structure
W. J. H. Van Berkel, Franz Müller, P. A. Jekel, W. J. Weijer, H. A. Schreuder and R. K. Wierenga 449–459

A new siliconized-glass fiber as support for protein-chemical analysis of electroblotted proteins
C. Eckerskorn, W. Mewes, H. Goretzki and F. Lottspeich 509–519

The arrangement of intra- and intermolecular disulfide bonds in the carboxyterminal, non-collagenous aggregation and cross-linking domain of basement-membrane type IV collagen
B. Siebold, R. Deutzmann and K. Kühn 617–624

p-Benzylthiocarbamoyl-aspartyl-daunorubicin-substituted polytrisacryl — A new drug acid-labile arm-carrier conjugate
F. Daussin, E. Boschetti, F. Delmotte and M. Monsigny 625–628

Multiplicity of interactions between dromedary hemoglobin and solvent components — A structural and functional study
A. Bertollini, R. Santucci, G. Amiconi, F. Ascoli, D. L. Currell, O. Mursal and M. Brunori 669–673

Preparation of chemically 'mutated' aprotinin homologues by semisynthesis — P_1 substitutions change inhibitory specificity
J. Beckmann, A. Mehlich, W. Schröder, H. R. Wenzel and H. Tschesche 675–682

Amino-acid sequence of ribonuclease T_2 from *Aspergillus oryzae*
Y. Kawata, F. Sakiyama and H. Tamaoki 683–697

Enzymology

Purification and characterization of rat-liver cytosolic epoxide hydrolase
L. Schladt, R. Hartmann, W. Wörner, H. Thomas and F. Oesch 31–37

Chorismate mutase: prephenate dehydratase from *Acinetobacter calcoaceticus* — Purification, properties and immunological cross-reactivity
S. Ahmad, A.-T. Wilson and R. A. Jensen 69–79

Bovine endothelial cell plasminogen activator inhibitor — Purification and heat activation
K. Katagiri, K. Okada, H. Hattori and M. Yano 81–87

Intracellular serine-protease zymogen, factor C, from horseshoe crab hemocytes — Its activation by synthetic liquid A analogues and acidic phospholipids
T. Nakamura, F. Tokunaga, T. Morita, S. Iwanaga, S. Kusumoto, T. Shiba, T. Kobayashi and K. Inoue 89–94

Enzymes as biosensors — 1. Enzyme memory and sensing chemical signals
J. Ricard and J. Buc 103–109

Enzymes as biosensors — 2. Hysteretic response of chloroplastic fructose-1,6-bisphosphatase to fructose 2,6-bisphosphate
J.-M. Soulie, M. Riviere and J. Ricard 111–117

Purification and characterization of DNA polymerase α from plasmodia of *Physarum polycephalum*
C. Weber, H. Fischer and E. Holler 199–206

Fluorinated analogues of spermidine as substrates of spermine synthase
J. G. Baillon, P. S. Mamont, J. Wagner, F. Gerhart and P. Lux 237–242

Detergentless microemulsions as media for enzymatic reactions — Cholesterol oxidation catalyzed by cholesterol oxidase
Y. L. Khmelnitsky, R. Hilhorst and C. Veeger 265–271

Effect of solvent, pressure and temperature on reaction rates of the multiheme hydroxylamine oxidoreductase — Evidence for conformational change
C. Balny and A. B. Hooper 273–279

Histidyls in lobster arginine kinase — ^{1}H-NMR of native and ethoxyformylated enzyme, ^{1}H- and ^{31}P-NMR of its complexes with substrates and analogues
M. Roux-Fromy, D. B. Pho and R. Kassab 343–352

The role of aspartic acid-49 in the active site of phospholipase A_2 — A site-specific mutagenesis study of porcine pancreatic phospholipase A_2 and the rationale of the enzymatic activity of [lysine^{49}]phospholipase A_2 from *Agkistrodon piscivorus piscivorus*' venom
C. J. Van Den Bergh, A. J. Slotboom, H. M. Verheij and G. H. De Haas 353–357

ATP-induced activation of the aminoacylation of tRNA by the isoleucyl-tRNA synthetase from *Escherichia coli*
R. K. Airas 359–363

Analysis of the activation of pepsinogen in the presence of protein substrates and estimation of the intrinsic proteolytic activity of pepsinogen
T. Kageyama 543–549

The subunit structure of a major glutathione S-transferase form, M_T, in rat testis – Evidence for a heterodimer consisting of subunits with different isoelectric points
T. Ishikawa, S. Tsuchida, K. Satoh and K. Sato 551–557

Inositolphospholipid-accelerated activation of prekallikrein by activated factor XII and its inhibition by β_2-glycoprotein I
I. Schousboe 629–636

Human liver cytosolic epoxide hydrolases
L. Schladt, H. Thomas, R. Hartmann and F. Oesch 715–723

Carbohydrates, lipids and other natural products

Lectin-carbohydrate interactions – Studies of the nature of hydrogen bonding between D-galactose and certain D-galactose-specific lectins, and between D-mannose and concanavalin A
L. Bhattacharyya and C. F. Brewer 207–212

5'-Methylbenzimidazolyl-cobamides are the corrinoids from some sulfate-reducing and sulfur-metabolizing bacteria
B. Kräutler, H.-P. E. Kohler and E. Stupperich 461–469

Structural and immunochemical studies of the lipopolysaccharide from a new provisional serotype of *Shigella flexneri*
T. Wehler and N. I. A. Carlin 471–476

Characterization of the cross-reacting determinant (CRD) of the glycosyl-phosphatidylinositol membrane anchor of *Trypanosoma brucei* variant surface glycoprotein
S. E. Zamze, M. A. J. Ferguson, R. Collins, R. A. Dwek and T. W. Rademacher 527–534

The function of β-*N*-acetyl-D-glucosaminyl monophosphorylundecaprenol in biosynthesis of lipoteichoic acids in a group of *Bacillus* strains
A. Shimada, M. Ohta, H. Iwasaki and E. Ito 559–565

Interaction of heparin and antithrombin III – The role of *O*-sulfate groups
M. Petitou, J.-C. Lormeau and J. Choay 637–640

Physical and inorganic biochemistry

A ^{1}H-NMR study on the blue copper protein amicyanin from *Thiobacillus versutus* – Resonance identifications, structural rearrangements and determination of the electron self-exchange rate constant
A. Lommen, G. W. Canters and J. van Beeumen 213–223

Analysis of the thermal unfolding of porcine procarboxypeptidase A and its functional pieces by differential scanning calorimetry
J. M. Sanchez-Ruiz, J. L. Lopez-Lacomba, P. L. Mateo, M. Vilanova, M. A. Serra and F. X. Aviles 225–230

Assignment of individual heme EPR signals of *Desulfovibrio baculatus* (strain 9974) tetraheme cytochrome c_3 – A redox equilibria study
I. Moura, M. Teixeira, B. H. Huynh, J. LeGall and J. J. G. Moura 365–369

Binding of ellipticine base and ellipticinium cation to calf-thymus DNA – A thermodynamic and kinetic study
G. Dodin, M.-A. Schwaller, J. Aubard and C. Paoletti 371–376

Membranes and bioenergetics

Protease-nicked θ-toxin of *Clostridium perfringens*, a new membrane probe with no cytolytic effect, reveals two classes of cholesterol as toxin-binding sites on sheep erythrocytes
Y. Ohno-Iwashita, M. Iwamoto, K. Mitsui, S. Ando and Y. Nagai 95–101

Calcium-dependent inactivation of the Ca^{2+}-ATPase from sarcoplasmic reticulum by chemically reactive adenosine triphosphate
E. Bill, Z. Gutowski and H. G. Bäumert 119–124

Monomerization of cytochrome oxidase may be essential for the removal of subunit III
M. Finel and M. Wikström 125–129

Diethylstilbestrol – Interactions with membranes and proteins and the different effects upon Ca^{2+}- and Mg^{2+}-dependent activities of the F_1-ATPase from *Rhodospirillum rubrum*
Å. Strid, P. Nyrén and M. Baltscheffsky 281–285

Purification and characterization of a rotenone-insensitive NADH:Q6 oxidoreductase from mitochondria of *Saccharomyces cerevisiae*
S. De Vries and L. A. Grivell 377–384

Studies on the effect of stigmatellin derivatives on cytochrome *b* and the Rieske iron-sulfur cluster of cytochrome *c* reductase from bovine heart mitochondria
T. Ohnishi, U. Brandt and G. von Jagow 385–389

Characterization of the inducible polyamine transporter in bovine lymphocytes
Y. Kakinuma, K. Hoshino and K. Igarashi 409–414

Heterogeneous distribution of calmodulin- and cAMP-dependent regulation of Ca^{2+} uptake in cardiac sarcoplasmic reticulum subfractions
J. Gasser, P. Paganetti, E. Carafoli and M. Chiesi 535–541

Methoxyretinals in bacteriorhodopsin – Absorption maxima, *cis-trans* isomerization and retinal protein interaction
W. Gärtner and D. Oesterhelt 641–648

Characterization of the nucleoside-binding site inside the Tsx channel of *Escherichia coli* outer membrane – Reconstitution experiments with lipid bilayer membranes
R. Benz, A. Schmid, C. Maier and E. Bremer 699–705

Molecular characteristics and evidence for internationalization of vasoactive-intestinal-peptide (VIP) receptors in the tumoral rat-pancreatic acinar cell line AR 4-2J
M. Svoboda, P. De Neef, M. Tastenoy and J. Christophe 707–713

Metabolism and metabolic regulations

Microsomal and cytosolic epoxide hydrolases, the peroxisomal fatty acid β-oxidation system and catalase — Activities, distribution and induction in rat liver parenchymal and non-parenchymal cells
P. Steinberg, L. Schladt, H. P. Dienes, C. Timms and F. Oesch 39– 45

Specific response of serine protease mRNA to a protein-free diet in the rat pancreas
N. Dakka, C. Wicker and A. Puigserver 231–236

Glycogenin is the priming glycosyltransferase required for the initiation of glycogen biogenesis in rabbit skeletal muscle
J. Pitcher, C. Smythe and P. Cohen 391–395

Syntheses of the sulfoconjugated isomers of norepinephrine and dopamine, controlled by HPLC with ultraviolet detection
G. Strobel, E. Werle, H. Helfinger, D. Griebel and H. Weicker 397–402

Activation of phosphofructokinase 2 by insulin in cultured hepatocytes without accompanying changes of effector levels or cAMP-stimulated protein kinase activity ratios
A. Müller, K. Unthan-Fechner and I. Probst 415–420

Catalase-dependent ethanol oxidation in perfused rat liver — Requirement for fatty-acid-stimulated H_2O_2 production by peroxisomes
J. A. Handler and R. G. Thurman 477–484

Long-term ingestion of ammonium increases acetylglutamate and urea levels without affecting the amount of carbamoyl-phosphate synthase
V. Felipo, M.-D. Miñana and S. Grisolía 567–571

Synthesis and structural identification of four dihydroxy acids and 11,12-leukotriene C_4 derived from 11,12-leukotriene A_4
S. Kitamura, T. Shimizu, I. Miki, T. Izumi, T. Kasama, A. Sato, H. Sano and Y. Seyama 725–731

Signal transduction and molecular neurobiology

The regulation of the cytoplasmic free Ca^{2+} concentration in aortic smooth muscle cells (A7r5 line) after stimulation by vasopressin and bombesin
P. Vigne, J.-P. Breittmayer, M. Lazdunski and C. Frelin 47– 52

Forskolin alters sensitivity of the cAMP-generating system to stimulatory as well as to inhibitory agonists — A study with intact human platelets and guinea pig myometrium
A. R. Mokhtari, L. Do Khac and S. Harbon 131–137

Interaction of the β-adrenergic receptor with Gs following delipidation — Specific lipid requirements for Gs activation and GTPase function
N. Ben-Arie, C. Gileadi and M. Schramm 649–654

Molecular cell biology

Histone H1 heterogeneity in the midge, *Chironomus thummi* — Structural comparison of the H1 variants in an organism where their intrachromosomal localization is possible
S. Hoyer-Fender and U. Grossbach 139–152

Microtubule-assembly inhibitor protein — Its distribution, localization and physicochemical properties
S. Kotani, A. Ikai, G. Kawai, S. Maekawa, S. Yokoyama and H. Sakai 573–580

Assembly of the OmpF porin of *Escherichia coli* B — Immunological and kinetic studies of the integration pathway
J.-M. Pages and J.-M. Bolla 655–660

Developmental biochemistry and immunology

Opposite regulation of the mRNAs for parvalbumin and p19/6.8 in myotonic mouse muscle
F.-W. Kluxen, F. Schöffl, M. W. Berchtold and H. Jockusch 153–158

Expression in non-lymphoid cells of mouse recombinant immunoglobulin directed against the tumour marker human placental alkaline phosphatase
P. De Waele, V. Feys, A. Van De Voorde, F. Molemans and W. Fiers 287–295

Trichokirin, a ribosome-inactivating protein from the seeds of *Trichosanthes kirilowii* Maximowicz — Purification, partial characterization and use for preparation of immunotoxins
P. Casellas, D. Dussossoy, A. I. Falasca, L. Barbieri, J. C. Guillemot, P. Ferrara, A. Bolognesi, P. Cenini and F. Stirpe 581–588

Indexed in *Current Contents*